

ZVD Zavod za varstvo pri delu d.o.o., Chengdujska cesta 25, 1260 Ljubljana-Polje

Authorised by decrees of the Ministry of Economy No.: 315-49/2018-4 of the 30. 11. 2018

Registered under notified body number **NB 1493** by European Commission

delivers:

EU TYPE EXAMINATION CERTIFICATE

Number: **CO 2020-0182**

To the following personal protective equipment:

Protective gloves against mechanical risks

EN 420 : 2003 + A1 : 2009 Protective gloves - General requirements and test methods

EN 388 : 2016 Protective gloves against mechanical risks

Issued to:

Company: **BEOROL d.o.o.**

Address: Kirovljeva 10/26

11030 Belgrade

Country: Serbia

Product reference:

Brand name: **beorol**

Type: **LATEX FLEX, LATEX FLEX**

UNIVERZAL, MATRIX

Available sizes: 8, 9, 10

EN 388 Performance levels:

Abrasion resistance: **2**

Blade cut resistance: **1**

Tear resistance: **3**

Puncture resistance: **1**

Cutting by sharp object resistance: **X**

Impact protection:

Product is in conformity with the requirements of EN 420 : 2003 + A1 : 2009, EN 388 : 2016 and Regulation EU 2016/425 on personal protective equipment and complies with applicable essential health and safety requirements.

Description of protective glove is detailed in the following ANNEX of this EU Type Examination Certificate
This certificate is valid for 5 years from the date of issue. Date of expiry is 17.08.2025

Place and date of issue:

Ljubljana, 17.08.2020



Authorized signature:

Andraž TANCEK

Head of Certification

ANNEX TO EU TYPE EXAMINATION CERTIFICATE

Number: **CO 2020-0182**

To the following personal protective equipment:

Protective gloves against mechanical risks

Issued to:

Company: **BEOROL d.o.o.**

Address: Kirovljeva 10/26
11030 Belgrade

Country: Serbia

Product reference:

Brand name: **beorol**

Type: **LATEX FLEX, LATEX FLEX UNIVERZAL, MATRIX**

Available sizes: 8, 9, 10

Place and date of issue:

Ljubljana, 17.08.2020



Authorized signature:

Andraž TANCEK

Head of Certification

Description of the protective glove:

Technical file: Technical file: beorol, RLF, RLFU, RMT

Picture:



Picture 1: Gloves back and palm

Materials used:

	Material:	Color:
Palm:	Liner: Knitted	White / Red / Hivis yellow
	Coating: Latex	Orange / Black / Black
Back:	Liner: Knitted	White / Red / Hivis yellow
Cuff:	Liner: Knitted	White / Red / Hivis yellow

Sizes:

Binding:

Size 8: Yellow
Size 9: Brown
Size 10: Black

Standards:

EN 420 : 2003 + A1 : 2009	Protective gloves - General requirements and test methods
EN 388 : 2016	Protective gloves against mechanical risks
Regulation	Regulation EU 2016/425 on personal protective equipment

Size and Dexterity

Size: 8	Length of the glove: min 250 mm
Size: 9	Length of the glove: min 270 mm
Size: 10	Length of the glove: min 285 mm

Dexterity is in conformity with level 5, gloves size Nr.: 8, 9, 10 were tested.

EN 388 performance levels:

Abrasion resistance:	2
Blade cut resistance:	1
Tear resistance:	3
Puncture resistance:	1
Cutting by sharp object resistance:	X
Impact protection:	



This Certificate is based on the test report No.:




EN 420	Intertek	GZHT90810027	09.07.2018
	Intertek	GZHT90867610	27.02.2019
	Intertek	GZHT90528069	03.08.2015
EN 388	Intertek	GZHT90732714	31.08.2017
	Intertek	GZHT90823973	28.08.2018
	Intertek	GZHT90528069	03.08.2015

Protective gloves against mechanical risks

ANNEX to EU Type Examination Certificate, Number: CO 2020-0182

Brand name: beorol, type: LATEX FLEX, LATEX FLEX UNIVERZAL, MATRIX

Each glove is marked with the following information:



Each smallest packing of gloves is marked with the following information. This information is also available at [manufacturer upon request](#):

Name of Manufacturer Beorol doo

Address Kirovljeva 10/26, 11030 Belgrade, Serbia

Product code/description:

RLF: Knitted seamless white liners, crinkled orange latex coated gloves

RLFU: Knitted seamless red liners, crinkled black latex coated gloves

RMTS/RMTM/RMTL/RMTXL: Knitted seamless Hivis yellow liners, crinkled black latex coated gloves

The gloves has been produced according to the Regulation of the European Parliament and of the Council (EU) 2016/425. They protect from mechanical damages. It means that the gloves are made according to the following norms: EN 388 : 2016 and EN 420 : 2003+ A1: 2009. They have been tested by: ITS Testing Services (UK) Ltd, Centre Court Meridian Business Park Leicester, Leicester LE19 1WD, United Kingdom (Notified Body 0362) and certified by ZVD Zavod za varstvo pri delu d.o.o., Chengdujska cesta 25, 1260 Ljubljana - Polje, Slovenija (Notified Body 1493).

USE INSTRUCTION: The gloves are characterized by comfort of use and protection from mechanical damages. They fit snugly to the

palm. Neither direct contact with fire nor welding in the gloves are recommended. Damaged (torn or riven) gloves should be removed immediately. Check the gloves for correct size, trying them on before starting the works, available size is 7,8, 9, 10, and 11. The gloves are made of polyester/polyamide and latex.

STORAGE: The gloves should be stored in dry and airy places, keep in temperature: 5-25° C. Store and transport in cardboard packages. Expiry date: 2 years subject to the production date.

CLEANING: Dry dirty gloves with soft wiper. Don't machine wash. Cleaning with water or any detergents may change the properties of the gloves. Examine regularly if the gloves are not damaged.

Warning

- **Protection limited to part of the hand: Glove only offers protection to palm area of hand.**
- **The gloves should not be worn next to machinery in case of dragging.**
- **The glove contains latex & may cause allergic reactions.**