

**ZVD Zavod za varstvo pri delu d.o.o.**, Chengdujska cesta 25, 1260 Ljubljana-Polje

Authorised by decrees of the Ministry of Economy No.: 315-49/2018-4 of the 30. 11. 2018

Registered under notified body number **NB 1493** by European Commission

delivers:

## EU TYPE EXAMINATION CERTIFICATE

Number: **CO 2020-0185**

To the following personal protective equipment:

### Protective gloves against mechanical risks

EN 420 : 2003 + A1 : 2009 Protective gloves - General requirements and test methods

EN 388 : 2016 Protective gloves against mechanical risks

Issued to:

Company: **BEOROL d.o.o.**

Address: Kirovljeva 10/26

11030 Belgrade

Country: Serbia

Product reference:

Brand name: **beorol**

Type: **OIL RESISTANT GLOVES**

Available sizes: 10

EN 388 Performance levels:

Abrasion resistance: **4**

Blade cut resistance: **1**

Tear resistance: **2**

Puncture resistance: **1**

Cutting by sharp object resistance: **X**

Impact protection:

Product is in conformity with the requirements of EN 420 : 2003 + A1 : 2009, EN 388 : 2016 and Regulation EU 2016/425 on personal protective equipment and complies with applicable essential health and safety requirements.

Description of protective glove is detailed in the following ANNEX of this EU Type Examination Certificate  
This certificate is valid for 5 years from the date of issue. Date of expiry is 17.08.2025

Place and date of issue:

Ljubljana, 17.08.2020



Authorized signature:

Andraž TANCEK

Head of Certification

# ANNEX TO EU TYPE EXAMINATION CERTIFICATE

Number: **CO 2020-0185**

To the following personal protective equipment:

**Protective gloves against mechanical risks**

Issued to:

Company: **BEOROL d.o.o.**

Address: Kirovljeva 10/26  
11030 Belgrade

Country: Serbia

Product reference:

Brand name: **beorol**

Type: **OIL RESISTANT GLOVES**

Available sizes: 10

Place and date of issue:

Ljubljana, 17.08.2020



Authorized signature:

Andraž TANCEK

Head of Certification

Description of the protective glove:

Technical file: Technical file: beorol, OIL RESISTANT GLOVES

Picture:



Picture 1: Gloves back and palm

Materials used:

	Material:	Color:
Palm:	Liner: Cotton	Natural white
	Coating: PVC	Red
Back:	Liner: Cotton	Natural white
	Coating: PVC	Red
Cuff:	Liner: Cotton	Natural white
	Coating: PVC	Red

#### Standards:

EN 420 : 2003 + A1 : 2009	<i>Protective gloves - General requirements and test methods</i>
EN 388 : 2016	<i>Protective gloves against mechanical risks</i>
Regulation	<i>Regulation EU 2016/425 on personal protective equipment</i>

#### Size and Dexterity

Size: 10      Length of the glove: min 262 mm

Dexterity is in conformity with level 5, gloves size Nr.: 10 were tested.

#### EN 388 performance levels:

Abrasion resistance: **4**  
Blade cut resistance: **1**  
Tear resistance: **2**  
Puncture resistance: **1**  
Cutting by sharp object resistance: **X**  
Impact protection:



#### This Certificate is based on the test report No.:

EN 420	Intertek	GZHT90756329	14.02.2018
EN 388	Intertek	GZHT90756329	14.02.2018

Each glove is marked with the following information:



Each smallest packing of gloves is marked with the following information. This information is also available at manufacturer upon request:

Name of Manufacturer    Beorol doo  
Address                      Kirovljeva 10/26, 11030 Belgrade, Serbia

**Product code/description:**

RZN: Cut sewn cotton liners, red PVC fully coated gloves, Gauntlet

The gloves has been produced according to the Regulation of the European Parliament and of the Council (EU) 2016/425. They protect from mechanical damages. It means that the gloves are made according to the following norms: EN 388 : 2016 and EN 420 : 2003+ A1: 2009. They have been tested by: ITS Testing Services (UK) Ltd, Centre Court Meridian Business Park Leicester, Leicester LE19 1WD, United Kingdom ( Notified Body 0362 ) and certified by ZVD Zavod za varstvo pri delu d.o.o., Chengdujska cesta 25, 1260 Ljubljana - Polje, Slovenija ( Notified Body 1493).

**USE INSTRUCTION:** The gloves are characterized by comfort of use and protection from mechanical damages. They fit snugly to the palm. Neither direct contact with fire nor welding in the gloves are recommended. Damaged (torn or riven) gloves should be removed immediately. Check the gloves for correct size, trying them on before starting the works, available size is 10/XL. The gloves are made of cotton and PVC.

**STORAGE:** The gloves should be stored in dry and airy places, keep in temperature: 5-25° C. Store and transport in cardboard packages. Expiry date: 2 years subject to the production date.

**CLEANING:** Dry dirty gloves with soft wiper. Don't machine wash. Cleaning with water or any detergents may change the properties of the gloves. Examine regularly if the gloves are not damaged.

**Warning**

- **Protection limited to part of the hand: Glove only offers protection to palm area of hand.**
- **The gloves should not be worn next to machinery in case of dragging.**